



*Because light matters.*



# Condensed Product Catalog Induction Products



[www.renova.com](http://www.renova.com) • 1-800-635-6682

RENOVA's primary focus is to provide its customers with the highest quality of innovative, energy efficient lighting products and solutions at competitive prices, with the shortest possible lead-time. RENOVA is committed to delivering optimum lighting solutions with the best customer service in the industry.

RENOVA's products have been developed to maximize light output through the use of precisely engineered optical designs. The photometric properties are then evaluated using industry-leading software programs, which allow engineers to maximize total luminaire efficiency and adjust the light distribution, providing the most effective fixture spacing to mounting height ratio. All of RENOVA's lighting products receive the highest attention to detail to insure performance, quality and value.

RENOVA employs a staff of qualified engineers that continuously develop and improve luminaire design. This guarantees that customers get exactly what they need, when they need it. Customer service is integrated with the entire process so customers can always access information regarding their order.

RENOVA is dedicated to providing its customers with lighting products that are free from defects. RENOVA has adopted a "zero" defect policy. This assures our customers that we stand behind everything we produce.

Thank you for considering RENOVA for your energy efficient lighting products and solutions.



**RICK EDWARDS**  
PRESIDENT/CEO

401.682.1850 x2001  
800.635.6682  
f: 401.682.1860  
redwards@renova.com

20 Middlesex Road  
Mansfield, MA 02048

Innovative Lighting Ideas. Energy Efficient Solutions.



**DAVE NADEAU**  
VICE PRESIDENT/CFO

401.682.1850 x2002  
800.635.6682  
f: 401.682.1860  
dnadeau@renova.com

20 Middlesex Road  
Mansfield, MA 02048

Innovative Lighting Ideas. Energy Efficient Solutions.



**RUDY MUTTER**  
GENERAL MANAGER

401.682.1850 x2007  
800.635.6682  
f: 401.682.1860  
rmutter@renova.com

20 Middlesex Road  
Mansfield, MA 02048

Innovative Lighting Ideas. Energy Efficient Solutions.



**STAN KATZ**  
DIRECTOR - ENGINEERING  
& NEW PRODUCT DEVELOPMENT

401.682.1850 x2004  
800.635.6682  
f: 401.682.1860  
skatz@renova.com

20 Middlesex Road  
Mansfield, MA 02048

Innovative Lighting Ideas. Energy Efficient Solutions.



**CATHIE HEDENBERG**  
SALES COORDINATOR

401.682.1850 x2003  
800.635.6682  
f: 401.682.1860  
chedenberg@renova.com

20 Middlesex Road  
Mansfield, MA 02048

Innovative Lighting Ideas. Energy Efficient Solutions.





*Innovative Lighting Ideas.  
Energy Efficient Solutions.*

# Induction Lighting

Renova Lighting Systems has teamed a wide range of fixtures with induction lamps to offer you an assortment to meet all your product needs! Induction lighting is rapidly becoming popular due to its impressive benefits:

- At a 2,000 hour comparison, a 200 watt induction lamp has a greater lumen output than a 400 watt metal halide or high pressure sodium lamp.
- Long performance life of up to 100,000 hours (27 years at 10 hours/day), making this type of lighting virtually maintenance free!
- High luminous maintenance rate of 95% after 2,000 hours, 85% after 6,000 hours.
- Electronic ballasts, coupled with a high system efficiency, reduces electric costs by up to 75% compared to HID lamps, and 95% versus incandescent lamps.
- Instant on and off, with reliable ignition at temperatures as low as -250 Celsius.
- Low heat output, which can reduce cooling costs when used in climate controlled areas.
- No electronics or filaments to burn out.
- Excellent color rendition (CRI of 80+) with no flickering.
- Minimal mercury content means disposal of old lamps is easy and safe.
- No electronic interference or potential radiation damage.



Large Madison

**RLS-MD30I**

80w, 100w, 120w,  
150w, 200w



Medium 5th Avenue

**RLS-FA20I**

80w, 100w



Large 5th Avenue

**RLS-FA30I**

80w, 100w, 120w,  
150w, 200w



Medium Broadway

**RLS-BW20I**

80w, 100w, 120w,  
150w, 200w



Large Broadway

**RLS-BW30I**

80w, 100w, 120w,  
150w, 200w, 250w,  
300w



Medium Kitty Hawk USA

**RLS-KHU20I**

80w, 100w, 120w



Large Kitty Hawk USA

**RLS-KHU30I**

80w, 100w, 120w,  
150w, 200w

**INDUCTION** | MADE IN AMERICA

**To Order Call: 800-635-6682**



*Innovative Lighting Ideas.  
Energy Efficient Solutions.*

- Renova Lighting Systems can provide custom wiring and painting along with quick shipments to any part of the US.
- Nickel-plated stainless steel screws, clips and fasteners for rust resistance and durability.
- Our products are manufactured from top quality materials to provide years of trouble-free service, including pure imported A360 aluminum ingot for superior thermal properties and durability.
- Silicone gaskets seal out dirt and moisture while providing superior fire-resistance.
- Molded Borosilicate glass lenses are manufactured for superior thermal shock resistance and clarity.
- Polycarbonate lenses are manufactured from Lexan 243R or Bayer 2407 material, which offer the highest UV and temperature ratings available.
- Pure aluminum reflectors (99.4%) for better photometry and lumen output, and thicker for better shape retention and durability.
- DuPont powder is used for our powdercoat finishes for superior UV resistance and durability.
- A chromate conversion coating is applied prior to the powdercoat painting to increase the corrosion resistance of the housings and provide an excellent bonding surface for the paint, which prolongs the life of the fixture.



**Acclaim Open Face Frame Wall Pack**

**RLS-WPR40OFI**

40w, 80w



**Acclaim Grid Frame Wall Pack**

**RLS-WPR40GRI**

40w, 80w



**Acclaim Half Cutoff Wall Pack**

**RLS-WPR40HCI**

40w, 80w



**Medium Wall Pack**

**RLS-WP15I**

40w



**Large Shallow Wall Pack**

**RLS-WP20I**

40w, 80w, 100w



**Large Deep Wall Pack**

**RLS-WP25I**

40w, 80w, 100w, 120w



**Medium Constellation Wall Pack - Full Cutoff**

**RLS-WPC15I**

40w

# INDUCTION | WALL PACKS



Large Accord Wall Pack -  
Semi Cutoff

**RLS-WPA25I**

40w, 80w, 100w



Large Constellation Wall Pack  
- Full Cutoff

**RLS-WPC20I**

40w, 80w



Large Deep Constellation  
Wall Pack - Full Cutoff

**RLS-WPC25I**

40w, 80w, 100w,  
120w



Small Accord Wall Pack  
Semi-Cutoff

**RLS-WPA15I**

40w



Medium Hooded Semi-Cutoff  
Wall Pack

**RLS-WH15I**

40w



Large Shallow Hooded  
Wall Pack - Semi Cutoff

**RLS-WH20I**

40w, 80w



Large Deep Hooded  
Semi-Cutoff Wall Pack

**RLS-WH25I**

40w, 80w, 100w,  
120w

# INDUCTION | WALL PACKS

**To Order Call: 800-635-6682**



*Innovative Lighting Ideas.  
Energy Efficient Solutions.*

- Renova Lighting Systems can provide custom wiring and painting along with quick shipments to any part of the US.
- Nickel-plated stainless steel screws, clips and fasteners for rust resistance and durability.
- Our products are manufactured from top quality materials to provide years of trouble-free service, including pure imported A360 aluminum ingot for superior thermal properties and durability.
- Silicone gaskets seal out dirt and moisture while providing superior fire-resistance.
- Molded Borosilicate glass lenses are manufactured for superior thermal shock resistance and clarity.
- Polycarbonate lenses are manufactured from Lexan 243R or Bayer 2407 material, which offer the highest UV and temperature ratings available.
- Pure aluminum reflectors (99.4%) for better photometry and lumen output, and thicker for better shape retention and durability.
- DuPont powder is used for our powdercoat finishes for superior UV resistance and durability.
- A chromate conversion coating is applied prior to the powdercoat painting to increase the corrosion resistance of the housings and provide an excellent bonding surface for the paint, which prolongs the life of the fixture.



**Focus Bulkhead -  
Open Frame**

**RLS-WPR22OFI**

40w



**Focus Bulkhead -  
Grid Frame**

**RLS-WPR22GRI**

40w



**Focus Bulkhead -  
Half Cutoff Frame**

**RLS-WPR22HCI**

40w



**Frontier Bulkhead -  
Open Frame**

**RLS-WPS22OFI**

40w



**Frontier Bulkhead -  
Grid Frame**

**RLS-WPS22GRI**

40w



**Frontier Bulkhead -  
Half Cutoff Frame**

**RLS-WPS22HCI**

40w

# INDUCTION | WALL PACKS



Industrial Mini Open Bulkhead

RLS-WP18OI

40w



Slimline Wall Pack

RLS-WPS40I

40w, 80w, 100w



Bravo! Wall Pack

RLS-WPB40I

40w



Small Adjusta Wall Light -  
Smooth Reflector

RLS-AD20SI

40w



Small Adjusta Wall Light -  
Flood Reflector

RLS-AD20LI

40w



Large Adjusta Wall Light -  
Wide Angle Reflector

RLS-AD40WI

40w, 80w

\*CONTAINER ORDER ONLY



12" Square Wallpack

RLS-WPS30I

40w



Focus Bulkhead Half-Cutoff  
Frame with Uplight

RLS-WPR23HCI

40w

\*CONTAINER ORDER ONLY



Frontier Bulkhead Half-Cutoff  
Frame with Uplight

RLS-WPS23HCI

40w

\*CONTAINER ORDER ONLY

# INDUCTION | WALL PACKS

To Order Call: 800-635-6682



*Innovative Lighting Ideas.  
Energy Efficient Solutions.*

- Renova Lighting Systems can provide custom wiring and painting along with quick shipments to any part of the US.
- Nickel-plated stainless steel screws, clips and fasteners for rust resistance and durability.
- Our products are manufactured from top quality materials to provide years of trouble-free service, including pure imported A360 aluminum ingot for superior thermal properties and durability.
- Silicone gaskets seal out dirt and moisture while providing superior fire-resistance.
- Molded Borosilicate glass lenses are manufactured for superior thermal shock resistance and clarity.
- Polycarbonate lenses are manufactured from Lexan 243R or Bayer 2407 material, which offer the highest UV and temperature ratings available.
- Pure aluminum reflectors (99.4%) for better photometry and lumen output, and thicker for better shape retention and durability.
- DuPont powder is used for our powdercoat finishes for superior UV resistance and durability.
- A chromate conversion coating is applied prior to the powdercoat painting to increase the corrosion resistance of the housings and provide an excellent bonding surface for the paint, which prolongs the life of the fixture.



### Large Flood

**RLS-FL65I**

40w, 80w, 100w



### 12" Square Shoebox - Wide Angle Reflector

**RLS-FL50WI**


40w



### Round Back Flood

**RLS-FL61I**

40w



### 16" Flood - Smooth Reflector

**RLS-FL70SI**

80w, 100w



### 16" Square Shoebox Area Light

**RLS-AL73I**

80w, 100w



### Cobrahead

**RLS-CH40I**

80w

# INDUCTION | FLOOD & AREA LIGHTING



23" Shoebox Area Light -  
Type 5 Reflector

**RLS-FL905I**

120w, 150w, 200w



23" Area Light

**RLS-AL90RI**

250w, 300w



Deluxe Cobra Head

**RLS-CH50I**

100w, 120w, 150w,  
200w



Large Flood Light -  
Type 5 Reflector

**RLS-FL705I**

80w, 100w



23" Shoebox Area Light -  
Smooth Reflector

**RLS-FL90SI**

120w, 150w, 200w,  
2x150w



23" Shoebox Area Light -  
Wide Angle Reflector

**RLS-FL90WI**

120w, 150w, 200w;  
2x150w, 2x200w

# INDUCTION | FLOOD & AREA LIGHTING

To Order Call: 800-635-6682



*Innovative Lighting Ideas.  
Energy Efficient Solutions.*

- Renova Lighting Systems can provide custom wiring and painting along with quick shipments to any part of the US.
- Nickel-plated stainless steel screws, clips and fasteners for rust resistance and durability.
- Our products are manufactured from top quality materials to provide years of trouble-free service, including pure imported A360 aluminum ingot for superior thermal properties and durability.
- Silicone gaskets seal out dirt and moisture while providing superior fire-resistance.
- Molded Borosilicate glass lenses are manufactured for superior thermal shock resistance and clarity.
- Polycarbonate lenses are manufactured from Lexan 243R or Bayer 2407 material, which offer the highest UV and temperature ratings available.
- Pure aluminum reflectors (99.4%) for better photometry and lumen output, and thicker for better shape retention and durability.
- DuPont powder is used for our powdercoat finishes for superior UV resistance and durability.
- A chromate conversion coating is applied prior to the powdercoat painting to increase the corrosion resistance of the housings and provide an excellent bonding surface for the paint, which prolongs the life of the fixture.



**Small Adjusta Area Light -  
Flood Reflector**

**RLS-AD20LI**

40w



**Small Adjusta Area Light -  
Smooth Reflector**

**RLS-AD20SI**

40w

**\*CONTAINER ORDER ONLY**



**Large Adjusta Area Light -  
Wide Angle Reflector**

**RLS-AD40WI**

40w, 80w

# INDUCTION | AREA LIGHTING



Large Kitty Hawk

RLS-KH40I

40w, 80w,  
100w, 120w,



Small Kitty Hawk

RLS-KH20I

40w



Large Colonnade Pole  
Top Fitter

RLS-PF50I


40w, 80w, 100w,  
120w, 150w, 200w



Metro Road Light  
(Up to 150w)

RLS-TN50I

80w, 100w,  
120w, 150w



Metro Road Light  
(Up to 200w)

RLS-TN51I

80w, 100w, 120w,  
150w, 200w

\*CONTAINER ORDER ONLY



EP44 Euro-Projector

RLS-EP44HI

40w, 80w, 100w,

\*CONTAINER ORDER ONLY

# INDUCTION | AREA LIGHTING

To Order Call: 800-635-6682



*Innovative Lighting Ideas.  
Energy Efficient Solutions.*

- Renova Lighting Systems can provide custom wiring and painting along with quick shipments to any part of the US.
- Nickel-plated stainless steel screws, clips and fasteners for rust resistance and durability.
- Our products are manufactured from top quality materials to provide years of trouble-free service, including pure imported A360 aluminum ingot for superior thermal properties and durability.
- Silicone gaskets seal out dirt and moisture while providing superior fire-resistance.
- Molded Borosilicate glass lenses are manufactured for superior thermal shock resistance and clarity.
- Polycarbonate lenses are manufactured from Lexan 243R or Bayer 2407 material, which offer the highest UV and temperature ratings available.
- Pure aluminum reflectors (99.4%) for better photometry and lumen output, and thicker for better shape retention and durability.
- DuPont powder is used for our powdercoat finishes for superior UV resistance and durability.
- A chromate conversion coating is applied prior to the powdercoat painting to increase the corrosion resistance of the housings and provide an excellent bonding surface for the paint, which prolongs the life of the fixture.



**Thermalux High Bay**

**RLS-HB42I**

80w, 100w, 120w,  
150w, 200w, 250w,  
300w

**LOW THERMAL DESIGN**



**Thermalux Low Bay**

**RLS-LB42I**

100w, 120w, 150w,  
200w, 250w, 300w

**LOW THERMAL DESIGN**



**High Bay**

**RLS-HB11I**

80w, 100w, 120w



**Deluxe High Bay**

**RLS-HB51I**

100w, 120w, 150w,  
200w, 250w, 300w



**Nova High/Low Bay**

**RLS-EH20I**

80w

**\*CONTAINER ORDER ONLY**

# INDUCTION | HIGH BAY



Gas Station Canopy

**RLS-CP80I**

100w, 120w, 150w,  
200w, 250w



Vandal Resistant Garage Lighter

**RLS-VNGL40I**

40w, 80w



Deluxe Garage Lighter

**RLS-VNGL30I**

40w, 80w



Thermalux Garage Lighter

**TGL40I**

40w, 80w,  
100w, 120w



Large Vandal Resistant

**RLS-VN40I**

40w



Large Deep Vandal Resistant

**RLS-VN42I**

40w, 80w



Deluxe Thermalux Garage Lighter

**RLS-TGL41I**

40w, 80w, 100w

\*CONTAINER ORDER ONLY

# INDUCTION | VANDAL RESISTANT & GARAGE LIGHTERS

To Order Call: 800-635-6682



### Wall Motion Sensor

**P17100**

- Use for controlling bathroom ventilation fans, residential & commercial applications, security lighting.
- Fits standard wall box.
- Switch Function: On/Off/Auto.



### Swivel Control

**RLS-P18120**

**RLS-P18122**

- Control passage & doorway lighting, rain tight for outdoor use.
- Convenient directional control, 0-200° swivel.



### Ceiling Motion Sensor

**RLS-P17110**

**RLS-P17112**

- Use for controlling bathroom ventilation fans, residential & commercial applications, security lighting.



### Twist Lock Receptacle

**RLS-P18130**

- Phenolic socket for twist lock photocells.
- Includes ABS waterproof cover.



### High Bay Occupancy Sensor

**RLS-P18100**

**RLS-P18102**

- Control indoor high bay spaces.
- Aisle-lighter and 360° coverage options.



### Instant Twist Lock Photo Control

**RLS-P18140**

**RLS-P18142**

- IP65 Protection.
- Built-in surge arrester.



### Button Control

**RLS-P18100**

**RLS-P18102**

- Control passage & doorway lighting, rain tight for outdoor use.



### Time Delay Twist Lock Photo Control

**RLS-P18150**

**RLS-P18152**

- IP65 Protection.
- 30-120 second time-delay switch-over for luminaire protection.



### Pencil Control

**RLS-P18110**

**RLS-P18112**

- Control passage & doorway lighting, rain tight for outdoor use.
- Convenient directional control, 0-200° swivel.

# OCCUPANCY SENSORS & PHOTOCELLS

To Order Call: 800-635-6682

# LIMITED WARRANTY

## LAMP/LED, BALLAST/DRIVER & FIXTURES

RENOVA Lighting Systems (RENOVA) warrants the following products manufactured in accordance to our specifications against defective material or workmanship, but not against damage caused by accident, abuse, faulty installation, acts of nature, alteration of product, improper operation or improper installation. Warranty period will be determined from the date of purchase or as specifically listed below:

### Fixtures for HID, LED & Induction:

Fixture, including housing and glass or polycarbonate lenses but excluding ballast and lamp: For a period of three (3) years from date of purchase.

### HID:

Lamp: As warranted by lamp manufacturer.

Ballast: As warranted by ballast manufacturer.

### LED†:

*Xicato* Module: For a period of five (5) years from date of manufacture as indicated by the date code stamped on each product, as warranted by manufacturer.

*LG* Module/Array: For a period of five (5) years from date of manufacture as indicated by the date code stamped on each product, as warranted by manufacturer.

Driver: For a period of five (5) years from date of manufacture as indicated by the date code stamped on each product, as warranted by manufacturer.

### INDUCTION†:

*LVD* Lamp & Ballast: For a period of five (5) years from date of manufacture, as warranted by manufacturer.

RENOVA's obligation under this warranty is limited to applying a credit, repair of the defective component or fixture, or replacement of the defective component or fixture, in the company's sole discretion, where of any part of its product is found to be defective in materials or workmanship under normal use and service. This warranty excludes field service or labor charges related to the repair or replacement of any products sold by RENOVA.

RENOVA is not responsible for any other equipment or components which is attached or used in conjunction with the fixture and all such equipment or components is excluded from this warranty.

Any and all warranty claims must be identified in writing to RENOVA for request to return products and returns and associated costs are to be the responsibility of the purchaser.

No implied statutory warranty of merchantability or fitness for a particular purpose shall apply beyond the aforementioned warranty period. This warranty is exclusive of all other statutory, written or oral warranties and no other warranties of any kind, statutory or otherwise, are given or herein expressed.

Under no circumstances, whether a result of breach of contract, breach of warranty, tort, strict liability or otherwise, will RENOVA be liable for consequential, incidental, special or exemplary damages, including, but not limited to, loss of profits, loss of use or damage to any property or equipment, cost of capital, cost of substitute products, facilities or services, downtime costs or claims of any kind or any loss or damage arising out of, resulting from, or concerning any aspect of this agreement or from the products or services provided.

Note: † Warranties shown for components from specific manufacturers. Please consult factory for all available manufacturers components and related warranties.

## Terms & Conditions

**DEFINITIONS:** The definitions listed below apply whenever we use these words in the Agreement: "We", "Us" and "Our" mean RENOVA Lighting Systems, Inc. "You" and "Your" mean the person(s) or entity that signs the Account Application or on whose behalf the Account Application is signed. "Account" means the Business Credit Account with us established by this Agreement and which shall be used only for the purchase of merchandise and/or services from RENOVA for your business use.

**ACCOUNT:** You have chosen to apply for this Business Credit Account for your business use and to purchase merchandise on open account under the terms of this Agreement. In consideration of the granting of Account privileges by us, you promise to pay us a credit price for any purchases made on this account, plus any other fees or charges under this Agreement. You hereby agree that this Account shall be used only for the purchase of merchandise and/or services from RENOVA for your business use. You agree that the only persons who may use the Account are those who are listed as Authorized Purchasers listed in the Commercial/Business Application. You agree to be liable to the extent permitted by the applicable law for any losses we suffer due to your failure to notify us of any changes to the Authorized Purchasers list. This agreement is not binding upon us until credit is approved by us.

**CREDIT LINE:** You agree that we may establish a Credit Line (limit) for your convenience and that you agree that we may change your Credit Line from time to time, based on our evaluation of changes in your credit capacity and your performance under this Account.

**BILLING TERMS:** You agree that if an Account is opened pursuant to this Agreement, the Account and all credit extended hereunder shall be governed by this Agreement. By accepting the terms herein, you agree to accept our descriptive billing system accounting for all purchases on the Account. The RENOVA Invoice number will be the reference number used for billing purposes to identify purchases of merchandise and/or services. Purchase Order numbers will be accepted by RENOVA when available, and printed on your Invoice for your information only. It is your responsibility to provide a Purchase Order number if your company requires a Purchase Order number for purchases. The presence of or lack of a Purchase Order number on the Invoice or Billing Statement in no way affects your responsibility to pay amounts due on this Account. Upon establishment of an Account, you agree to pay, at such place as we designate, in accordance with the billings, the then current payment schedule amounts for the use of this Account, and all applicable charges which may then be in effect.

**PAYMENTS TERMS:** Until we shall give written notice to you of a change therein, our terms are that all invoices are due in full on the thirtieth (30th) day following Invoice date. We may not agree to defer payment or collection beyond

this date and may take action to enforce our rights, including cancellation or suspension of your Account privileges regardless of any late charge or partial payments that may be made.

**LATE CHARGE:** There is a late charge of one and one half percent (1-1/2%) that may be assessed at the end of each month (18% per annum), or the maximum rate permitted by law, whichever is less, on all open invoice amounts that are past due or more than thirty (30) days old. Product will not be shipped to past due accounts.

**APPLICATION OF PAYMENT:** Remittances are required to reference Invoice numbers being paid and payments will be applied against matching open items. When we are unable to match payments with open items, these amounts will be applied to open items in order of age or held as a general credit against open or future invoices.

**SECURITY:** You are giving us and we are retaining a purchase money security interest in the merchandise purchased under this Agreement until the debt for that merchandise is paid in full. This permits us, under certain circumstances, as provided by law, to take back or repossess the merchandise if you do not pay for it under the terms of this Agreement.

**DEFAULT:** If you should become insolvent, if you do not meet your payment obligations when they become due, if a receiver, custodian or trustee is appointed for you or any of your property, if there is a filing of a voluntary or involuntary petition for relief or bankruptcy, reorganization, or arrangement, if an assignment is made for the benefit of your creditors, if there is a meeting called of your creditors or if you should breach any other terms of this Agreement, we may demand the entire unpaid balance to be paid immediately and, as provided by law, commence any legal action for collection of the balance due. We may also pursue any other legal action deemed necessary or appropriate with respect to the Account. You agree to pay reasonable collection fees, attorney's fees and court costs. We also reserve all rights and remedies pertaining to repossession and resale of any repossessed merchandise as provided by law.

**CHANGES IN TERMS:** You agree that we may change the existing rates, charges and other terms of the Agreement, as well as introduce new terms (such as non-sufficient check charges), as may be authorized by law. Any such amendments will apply to the then existing balance of your Account to the extent permitted by law. No one else has the authority to change this Agreement.

**CREDIT CAPACITY:** You give us the right to investigate your business and/or personal credit capacity and credit history. We are authorized to furnish information about the Account and you to credit reporting agencies and others who may lawfully receive this information.

**WAIVER:** No waiver of any provision of or default under this Agreement shall affect the right of RENOVA thereof to enforce any other provision or to exercise any right or remedy in the event of any other default, whether or not similar.

**CANCELLATION:** We and you have the right to cancel this Agreement/Account at any time and for any reason as it relates to future purchases. You remain obligated to pay for any balance existing prior to cancellation.

**ASSIGNMENT:** We reserve the right to assign all or part of the terms and/or conditions of this Agreement at any time, without prior notice to you.

**CONDITIONS OF SALE:** You agree that any purchase under this Agreement will be subjected to the terms set forth in this Agreement, our Invoices or order forms, and that the terms set out in any different form shall not apply, even though the form may be submitted to or accepted by RENOVA as evidence of the order.

**SALES INVOICES:** Sales invoices will not be mailed with or accompany the monthly billing statement. Therefore, you must retain your original Sales Invoice for your records.

**FREIGHT POLICY:** All freight charges are prepaid and added. Please consult the RENOVA web site for current freight policy.

**DAMAGE POLICY:** Experienced packers using standard, approved packaging methods pack all shipments with great care. As all shipments are FOB Plant, transfer of ownership occurs when the carrier picks up product. Therefore, if any damage occurs in transit, a claim must be filed with the carrier for your loss or damage. The carrier is responsible for breakage in transit. RENOVA will assist you in every possible manner in collecting your claims for loss or damage.

**RETURN POLICY:** Product may be returned only with prior written approval from RENOVA's Customer Service Department. Product must be in unused condition, in original packaging and must be marked with the Return Goods Authorization (RGA) Number. Product returned will be subject to a 35% restocking charge with all freight charges being the buyer's responsibility. Custom Designed products and Special Order Items are not returnable without special consideration from RENOVA.

**MINIMUM ORDER:** \$250 minimum order fee for samples, custom or special products is rebated upon receipt of a project's large order.

**ENTIRE AGREEMENT:** This is our entire agreement. No changes can be made except in writing signed by an authorized representative of RENOVA.



Doing business with RENOVA means saving energy, saving money, and getting the job done right.



**Condensed  
Product Catalog  
Fluorescent  
Fixtures  
& Retrofit Kits**  
#RLS-SBFF-111



**Condensed  
Product Catalog  
LED, Induction  
& EHID Products**  
#RLS-SBLP-312



**Condensed  
Product Catalog  
Miscellaneous  
Components**  
#RLS-SBMC-111



Hg

*Fluorescent lamps contain small amounts of mercury. Such lamps are labeled "Contains Mercury" and/or with the symbol "Hg." Lamps that contain mercury must be disposed of in accordance with local requirements. Information regarding lamp recycling and disposal can be found at [www.lamprecycle.org](http://www.lamprecycle.org).*



**Innovative Lighting Ideas  
Energy Efficient Solutions**

**RENOVA Lighting Systems, Inc.  
20 Middlesex Road  
Mansfield, MA 02048  
1-800-635-6682  
[www.renova.com](http://www.renova.com)**

© 2012 RENOVA Lighting Systems, Inc.  
All Rights Reserved.  
Printed in U.S.A.